



North & West Operational Unit – Criteria for Enhanced Services

Trigger	Criteria for payment	When required
Alcohol Users		
Alcohol misuse – enhanced service admin	Diagnosis	Once during an episode of care
	Alcohol units per week	
	In-house counseling AND/OR GP care detox OR shared care detox OR admitted to detox	3 within a 12 month period during the year being claimed for
Management Plan x 3		
Alcohol Screening & Brief Intervention		
FAST Questionnaire	Screening payment:	Once per financial year
	FAST Questionnaire & score	
	Brief Intervention payment:	Recorded on the same day as FAST or any time after
	If FAST score > 2: Provided Brief Intervention	
Anticipatory Care (now within QOF)		
Anticipatory care patient alert	ACPA (<i>not</i> the review button)	An ACPA during the current financial year
Anticoagulation		
Anticoagulation monitoring – enhanced service admin	Warfarin therapy started	Present before or on day of commencing E.S.
	Diagnosis	Present at anytime
	Prescription for Warfarin	In current financial year
	Duration	Recorded at least one since treatment started
	Locus of care (South East only)	
	Target INR	
Anticoagulation therapy record given		
Drug Misuse		
Drug Misuse – enhanced service	Hep B status	Once since added to enhanced service
	Management plan agreed	
	Management plan reviewed	Twice each financial year since management plan agreed
DVT		
DVT – ES admin	Doppler studies result	Required within 7 days of DVT – ES admin

Diabetes screening & outcomes criteria

Trigger	Criteria for payment	When required
Diabetes diagnosis (C10%)	Ethnicity	Required once ever
	Current treatment	Required 6 monthly*
	BMI	
	Blood Pressure	
	HbA1c	
	eGFR	Required annually**
	Locus of care	
	Alcohol intake	
	Smoking Status	
	Smoking cessation advice (Only current smokers)	
	Foot Screening and education: Foot risk Status Foot Pulses Foot Sensation to Monofilaments	
	Urinary Microalbumin screening: A Urinary Microalbumin result unless there is a positive Urinary Dipstick Protein Test within six weeks of the audit date or Albumin Excretion Stage is Albuminuria	
	Albumin excretion stage	
	ACE / ARB - For patients with current albumin excretion stage of microalbuminuria or albuminuria, record treatment with an ACE Inhibitor or ARB or a record of contraindication/intolerance/patient declined for both drug classes	
	Management plan	

****Please see diabetes addendum on the SLA page of the EScro website**

IUCD

IUCD fitted or re-fitted	Counselling	Required during the 3 months prior to fitting or on the day of fitting.
IUCD fitted – enhanced service complete	Indication for fitting	
	Chlamydia test	

Minor Injury

Minor injury – enhanced service complete	Type of injury	To be recorded on same day as consultation
--	----------------	--

Minor Surgery

Minor surgery – enhanced service admin	Informed written consent	Required during the 4 weeks prior to procedure or on the day of procedure.
Type of procedure		
Please note: Excisions requires a histology specimen		

Multiple Sclerosis

Specialized service for patients with M.S. – enhanced service admin	Diagnosis	Present at anytime
	Visual testing done	At least once per year or since diagnosis if diagnosed less than 1 year
	Depression screen completed	
	Repeat medication review	
	MS Management plan	
	Follow up arranged	

Older Patient in Care Homes

Lives in a care home	Medication review	In current financial year
	Frail elderly assessment	In current financial year the

Note: ACPA and Polypharmacy Reviews should also be completed where considered necessary.

Polypharmacy (now within QOF)

Polypharmacy (add to register)	Polypharmacy review	In the current financial year
--------------------------------	---------------------	-------------------------------

NPT

Near patient testing – enhanced service admin	High risk treatment started	Present before or on day of commencing E.S.
	Diagnosis	Present at anytime
	Prescription	In current financial year

Drug list

Auranofin, Penicillamine, Sodium Aurothiomalate (Myocrisin), Hydroxychloroquine, Azathioprine, Ciclosporin, Mercaptopurine, Methotrexate, Sulphasalazine, Leflunomide, Mesalazine, Balsalazide, Darbepoetin Alfa, Interferon Beta

Sexual Health

Sexual Health – enhanced service admin	Sexual history completed	All relevant data should be recorded within a 3 month cycle of treatment.
	Sexual health risk (high or low)	
	Contraception (Females only)	
	Cervical smear (Females only)	Screening should be offered as a minimum.
	HIV screening	
	Syphilis screening	If diagnosis, treatment or contact tracing is not required, please indicate this in the appropriate drop down (Gpass users).
	Gonorrhoea screening	
	Chlamydia screening	
	Hep B screening (high risk only)	
	Hep B immun (high risk only)	
	Diagnosis	
	Prescribing	
	Contact tracing	
	Condoms offered	
Health promotion advice		

Subcutaneous Contraception

Insertion or removal of Sub. Cut Contraception	Informed consent	Required during the 4 weeks prior to procedure or on the day of procedure.
Minor surgery – enhanced service admin		

EScro Help Desk – Mon- - Fri 09.00 am -17.00 pm – Call 01463 255921